



## Cumulative Contents

<i>Obituary – Laurens L.M. van Deenen</i>	ix	<i>L. Otvos Jr., L. Urge, Z.Q. Xiang, G.R. Krivulka, L. Nagy, G.I. Szendrei and H.C.J. Ertl (USA)</i>	68
<i>Information for Contributors</i>	xi	Effect of rate of intracellular transport and diacytosis on cytotoxicity of hybrid toxins. Study with hybrids using hepatic asialoglycoprotein receptor-mediated endocytosis	
<i>Regular Section</i>		<i>T.-m. Chang, A. Hossain and C.H.L. Chang (USA)</i>	77
<i>Regular Papers</i>		Enhancement of daunomycin toxicity by the differentiation inducer hexamethylene bisacetamide in erythroleukemia cells	
LDL and acetyl-LDL inhibit the NK activity and are taken up by CD56 <sup>+</sup> lymphocytes		<i>P. Pietrangeli, C. Steinkühler, L. Marcocci, J.Z. Pedersen, B. Mondovì and I. Mavelli (Italy)</i>	89
<i>L. Juompan, G.J. Fournié and H. Benoist (France)</i>	1		
Analysis of the NADPH oxidase components during differentiation of HL-60 cells to eosinophilic lineage			
<i>D. Miyamoto, A. Someya, H. Nunoi, I. Nagaoka and T. Yamashita (Japan)</i>	11	<i>Rapid Report</i>	
Glucocorticoid hormone binding to rat adipocytes		Rabbit calvarial osteoblasts in culture constitutively synthesize progelatinase-A, and TIMP-1 and TIMP-2	
<i>J. Sjögren, M. Weck, A. Nilsson, M. Ottosson and P. Björntorp (Sweden)</i>	17	<i>M.C. Meikle, S. Bord, R.M. Hembry and J.J. Reynolds (UK)</i>	99
Energetic modulation of cardiac inotropism and sarcoplasmic reticular Ca <sup>2+</sup> uptake			
<i>R.T. Mallet and R. Bünger (USA)</i>	22	<i>Subsection</i>	
Altered interaction of human granulation-tissue fibroblasts with fibronectin is regulated by $\alpha 5\beta 1$ integrin		<i>Regular Papers</i>	
<i>L. Häkkinen, J. Heino, L. Koivisto and H. Larjava (Finland, Canada)</i>	33	Characterization of the three different states of the cholecystokinin (CCK) receptor in pancreatic acini	
Neutrophil control of formylmethionyl-leucyl-phenylalanine induced mobilization of secretory vesicles and NADPH-oxidase activation: effect of an association of the ligand-receptor complex to the cytoskeleton		<i>V.D. Talkad, R.J. Patto, D.C. Metz, R.J. Turner, K.P. Fortune, S.T. Bhat and J.D. Gardner (USA)</i>	103
<i>H. Lundquist, M. Gustafsson, A. Johansson, E. Särndahl and C. Dahlgren (Sweden)</i>	43	Biochemical regulation of the three different states of the cholecystokinin (CCK) receptor in pancreatic acini	
Dietary modulation of rat colonic cAMP-dependent protein kinase activity		<i>P.K. Pandya, S.-c. Huang, V.D. Talkad, S.A. Wank and J.D. Gardner (USA)</i>	117
<i>H.M. Aukema, L.A. Davidson, W.-C. Chang, J.R. Lupton, J.N. Derr and R.S. Chapkin (USA)</i>	51	Effects of cholecystokinin (CCK) and other secretagogues on isoforms of protein kinase C (PKC) in pancreatic acini	
Modulation of guanylate cyclase-coupled atrial natriuretic factor receptor activity by mastoparan and ANF in murine Leydig tumor cells: role of G-proteins		<i>D.A. Pollo, J.J. Baldassare, T. Honda, P.A. Henderson, V.D. Talkad and J.D. Gardner (USA)</i>	127
<i>M.L. Khurana and K.N. Pandey (USA)</i>	61	Specific binding of dehydroepiandrosterone sulfate to rat liver cytosol: a possible association with peroxisomal enzyme induction	
Glycosylation of synthetic T helper cell epitopic peptides influences their antigenic potency and conformation in a sugar location-specific manner		<i>J. Yamada, H. Sugiyama, M. Sakuma and T. Suga (Japan)</i>	139

- Activation of phospholipase D in human platelets by collagen and thrombin and its relationship to platelet aggregation  
T.M. Chiang (USA)

147

### Short Sequence-Paper

- Characterization of a rat cDNA clone encoding calcium/calmodulin-dependent protein kinase I  
F.S. Cho, K.S. Phillips, B. Bogucki and T.E. Weaver (USA)

156

### Regular Section

#### Regular Papers

- Deoxycytidine kinase is phosphorylated in vitro by protein kinase C $\alpha$   
L.-M. Wang and G.L. Kucera (USA)

161

- Leukotriene C4 upregulates collagenase expression and synthesis in human lung fibroblasts  
L. Medina, J. Pérez-Ramos, R. Ramírez, M. Selman and A. Pardo (México)

168

- Phencyclidine inhibits epinephrine-stimulated platelet aggregation independently of high affinity N-methyl-D-aspartate (NMDA)-type glutamate receptors

R.E. Rauli, B. Jackson, N. Tandon, M. Mattson, K. Rice and G.A. Jamieson (USA)

175

- Hematopoietic colony stimulatory factor formation by murine mesangial cells: gene expression and biological activity

M.R. Jadas, R. Pai, E. Horansky, H.T. Wepsic, M.A. Kirschenbaum and V.S. Kamanna (USA)

181

- Amino acid deprivation-induced stress response in the bovine renal epithelial cell line NBL-1: induction of HSP 70 by phenylalanine

S. Plakidou-Dymock and J.D. McGivan (UK)

189

- Stimulation of protein synthesis and phospholipase D activity by vasopressin and phorbol ester in L6 myoblasts

M.G. Thompson, S.C. Mackie, K.S. Morrison, A. Thom and R.M. Palmer (UK)

198

- Glycogen synthesis from glucose by direct and indirect pathways in hepatocyte cultures from different nutritional states

D. Tosh, G. Beresford and L. Agius (UK)

205

- Control of glucose metabolism in newborn pig enterocytes: evidence for the role of hexokinase

L. Posho, B. Darcy-Vrillon, M.-T. Morel, C. Cherbuy, F. Blachier and P.-H. Duée (France)

213

- The role of protein kinase C in arachidonic acid release and prostaglandin E production from CHO cells transfected with EGF receptors

S. Clark, R. Keogh and M. Dunlop (Australia)

221

- <sup>23</sup>Na nuclear magnetic resonance study of intracellular sodium in vascular endothelial cells

M.L.H. Gruwel, C. Alves and J. Schrader (Germany)

228

- Analysis of successive endocytic compartments isolated from *Dictyostelium discoideum* by magnetic fractionation

K.V. Nolta, J.M. Rodriguez-Paris and T.L. Steck (USA)

237

- Hydrolysis of cell surface inositol phospholipid leads to the delayed stimulation of phosphatidylinositol synthesis in bovine aortic endothelial cells

D.J. Sillence and M.G. Low (USA)

247

- Role of capsaicin, curcumin and dietary *n* – 3 fatty acids in lowering the generation of reactive oxygen species in rat peritoneal macrophages

B. Joe and B.R. Lokesh (India)

255

- Glutathione S-conjugate transport by cultured human cells

C. Olive and P. Board (Australia)

264

- Macrophages loaded with doxorubicin by ATP-mediated permeabilization: potential carriers for antitumor therapy

M. Munerati, R. Cortesi, D. Ferrari, F. Di Virgilio and C. Nastruzzi (Italy)

269

#### Subsection

#### Minireview

- Signal recognition and transduction in olfactory neurons

H. Breer, K. Raming and J. Krieger (Germany)

277

#### Regular Papers

- Endothelin receptor agonists and antagonists exhibit different dissociation characteristics

J.R. Wu-Wong, W.J. Chiou, S.R. Magnuson and T.J. Oppenorth (USA)

288

- PAF stimulates cAMP formation in P388D<sub>1</sub> macrophage-like cells via the formation and secretion of prostaglandin E<sub>2</sub> in an autocrine fashion

R. Asmis and E.A. Dennis (USA)

295

- Possible involvement of phosphatidylinositol-specific phospholipase C related to pertussis toxin-sensitive GTP-binding proteins during adipocyte differentiation of 3T3-L1 fibroblasts: negative regulation of protein kinase C

T. Uehara, S.-i. Hoshino, M. Ui, Y. Tokumitsu and Y. Nomura (Japan)

302

- Recovery from acute glucagon challenge in isolated rat hepatocytes: is protein dephosphorylation synchronous or asynchronous?

S.R. Aggarwal and T.N. Palmer (Australia)

311

Platelet-activating factor induced calcium mobilization and phosphoinositide metabolism in cultured bovine cerebral microvascular endothelial cells <i>A.-Y. Lin and Y.-C. Rui (P.R. China)</i>	323	Bone marrow activation by immobilized antibodies against tumor cells and immunocytes as a potential cancer immunotherapy <i>B.Z. Packard and G. Parry (USA)</i>	395
<b>Regular Section</b>		Novobiocin activates the mating response in yeast through the $\alpha$ -pheromone receptor, Ste2p <i>M.J. Pocklington and E. Orr (UK)</i>	401
Modulation of ornithine aminotransferase activity by oxygen in rat hepatocyte cultures <i>S. Colombatto, G. Giribaldi, C. Vargiu and M.A. Grillo (Italy)</i>	329	Effect of sucrose monostearate, an emulsifier, on polyamine metabolism and phosphatidylinositol turnover in Ehrlich ascites tumor cells <i>I. Matsui-Yuasa, N. Koike, K. Ohtani and S. Otani (Japan)</i>	413
L-Carnitine and some of its analogs delay the onset of apoptotic cell death initiated in murine C2.8 hepatocytic cells after hepatocyte growth factor deprivation <i>R.P. Revoltella, B. Dal Canto, L. Caracciolo and C.M. D'Urso (Italy)</i>	333	Inhibition of protein kinase C activity and vascular smooth muscle cell growth by d- $\alpha$ -tocopherol <i>D.O. Boscoboinik, E. Chatelain, G.-M. Bartoli, B. Stäuble and A. Azzi (Switzerland)</i>	418
Lack of inhibition by dideoxy-forskolin and verapamil of DIDS-sensitive volume-activated $\text{Cl}^-$ secretion in human squamous lung carcinoma epithelial cells <i>F.M. Munkonge, L.R. Osborne, D.M. Geddes and E.W.F.W. Alton (UK)</i>	342	Factors influencing macrophage activation by muramyl peptides: inhibition of NO synthase activity by high levels of NO <i>C. Morin, H. Fessi, J.P. Devissaguet, F. Puisieux and G. Barratt (France)</i>	427
The metabolism of vitamin A to 3,4-didehydroretinol can be demonstrated in human keratinocytes, melanoma cells and HeLa cells, and is correlated to cellular retinoid-binding protein expression <i>E. Andersson, C. Björklind, H. Törmä and A. Vahlquist (Sweden)</i>	349	Plasma antiproteinase screen and neutrophil-mediated platelet activation. A major role played by $\alpha_1$ antitrypsin <i>M. Chignard, E. Hazouard, P. Renesto, A. Laine, B. Guidet and G. Offenstadt (France)</i>	431
Conductive cation transport in apical membrane vesicles prepared from fetal lung <i>G.K. Fyfe, P.J. Kemp, E.J. Cragoe Jr. and R.E. Oliver (UK)</i>	355	Further evidence of different lactoferrin and transferrin binding sites on human HT29-D4 cells. Effects of lysozyme, fucose and cathepsin G. Comparison with transferrin <i>D. Roiron-Lagroux and C. Figarella (France)</i>	441
Enhanced expression of multiple forms of VEGF is associated with spontaneous immortalization of murine fibroblasts <i>T. Sugihara, S.C. Kaul, Y. Mitsui and R. Wadhwa (Japan)</i>	365	Endocytosis does not necessarily augment the cytotoxicity of adriamycin encapsulated in immunoliposomes <i>S. Suzuki, S. Watanabe, S. Uno, M. Tanaka, T. Masuko and Y. Hashimoto (Japan)</i>	445
Expression of glycolytic isozymes in rat thymocytes during cell cycle progression <i>R. Netzker, U. Hermfisse, K.-H. Wein and K. Brand (Germany)</i>	371	<b>Rapid Reports</b>	
Effects of extracellular bicarbonate ions and pH on volume-regulatory taurine efflux from rat cerebral cortical slices in vitro: evidence for separate neutral and anionic transport mechanisms <i>R.O. Law (UK)</i>	377	Autoregulation of endothelin-1 secretion by cultured human keratinocytes via the endothelin B receptor <i>J.J. Yohn, C. Smith, T. Stevens, J.G. Morelli, L.R. Shurnas, S.J. Walchak, T.A. Hoffman, K.K. Kelley, A. Escobedo-Morse, M. Yanagisawa, M.A. Kane and M.R. Zamora (USA)</i>	454
On the mechanism of inactivation of muscle glycogen phosphorylase by insulin <i>C. Villar-Palasi (USA)</i>	384	Inverse relationship of cotranslational translocation with the hydrophobic moment of the bovine preproparathyroid hormone signal sequence <i>K. Ahn, D. Chen and B. Kemper (USA)</i>	459
Exposure of human lymphocytes to bis-(2-chloroethyl)sulfide solubilizes truncated and intact core histones <i>C.B. Millard, H.L. Meier and C.A. Broomfield (USA)</i>	389	<b>Short Sequence-Paper</b>	
		Nucleotide and deduced amino acid sequence of a putative higher molecular weight precursor for catalase in sunflower cotyledons <i>S. Kleff, R.N. Trelease and R. Eising (Germany, USA)</i>	463

## Subsection

## Review

- A kinase anchor proteins and the intracellular targeting of signals carried by cyclic AMP  
*C.S. Rubin (USA)* 467
- Calpain-induced down-regulation of protein kinase C inhibits dense-granule secretion in human platelets. Inhibition of platelet aggregation or calpain activity preserves protein kinase C and restores full secretion  
*Y. Patel, V.V. Kakkar and K.S. Authi (UK)* 480
- The mitogenic action of recombinant basic FGF in Swiss 3T3 cells is independent of early diacylglycerol production and downregulatable protein kinase C activity  
*K. Virdee, B.L. Brown and P.R.M. Dobson (UK)* 489
- Inhibition of the T-cell receptor-mediated signal transduction by microinjection of anti-Lck monoclonal antibody into T-cells  
*K. Nakamura, Y. Koga, H. Yoshida, K. Tanaka, M. Sasaki, G. Kimura and K. Nomoto (Japan)* 495
- Characterization of integrin expression and regulation on SW-480 human colon adenocarcinoma cells and the effect of rhodostomin on basal and upregulated tumor cell adhesion  
*H.-S. Chiang, H.-C. Peng and T.-F. Huang (Taiwan)* 506
- Ins 1,4,5- $P_3$  and  $Ca^{2+}$  signaling in quiescent neonatal cardiac myocytes  
*C.A. Hansen, S.K. Joseph and J.D. Robishaw (USA)* 517
- Rat preadipocyte adenylyl cyclase: influence of fat localization and androgenic status  
*D. Lacasa, D. Denis, B. Agli, P. De Mazancourt and Y. Giudicelli (France)* 527
- Characterization of a protein which binds phosphatidylinositol 3,4,5-trisphosphate and 4,5-bisphosphate  
*W. Ogawa and R.A. Roth (USA)* 533
- Levels and localization of group II phospholipase  $A_2$  and annexin I in interleukin- and dexamethasone-treated rat mesangial cells: evidence against annexin mediation of the dexamethasone-induced inhibition of group II phospholipases  $A_2$   
*M.J.B.M. Vervoordeldonk, C.G. Schalkwijk, B.S. Vishwanath, A.J. Aarsman and H. Van den Bosch (Netherlands, Switzerland)* 541
- Protein kinase C expression and translocation in dispersed chief cells from guinea-pig stomach  
*R.D. Raffaniello and J.-P. Raufman (USA)* 551
- Role of sialic acid residues in the in vitro superactivity of human choriongonadotropin (hCG) in rat Leydig cells  
*F. Apparailly and Y. Combarnous (France)* 559
- Cyclic AMP- plus ATP-dependent modulation of the NADH oxidase activity of porcine liver plasma membranes  
*D.J. Morré, P. Navas, J.-C. Rodriguez-Aguilera, D.M. Morré, J.M. Villalba, R. De Cabo and J. Lawrence (USA, Spain)* 566
- U-73122, a phospholipase C antagonist, inhibits effects of endothelin-1 and parathyroid hormone on signal transduction in UMR-106 osteoblastic cells  
*A. Tatrai, S.K. Lee and P.H. Stern (USA)* 575
- The effect of calcium on mitochondrial contact sites: a study on isolated rat hearts  
*A. Bakker, I. Bernaert, M. De Bie, T. Ravingerova, A. Ziegelhöffer, H. Van Belle and W. Jacob (Belgium, Slovak Republic)* 583
- Progesterone-induced phospholipid *N*-methylation and sphingomyelin synthesis in the amphibian oocyte plasma membrane: a second source of the 1,2-diacylglycerol second messenger associated with the  $G_2/M$  transition  
*G.A. Morrill, G.Y. Ma and A.B. Kostellow (USA)* 589

## Rapid Report

- Inhibitory effect of curcumin on epidermal growth factor receptor kinase activity in A431 cells  
*L. Korutla and R. Kumar (USA)* 597

## Short Sequence-Paper

- Cloning and expression of a cDNA for rat prostacyclin receptor  
*Y. Sasaki, T. Usui, I. Tanaka, O. Nakagawa, T. Sando, T. Takahashi, T. Namba, S. Narumiya and K. Nakao (Japan)* 601

Cumulative Contents 607

Author Index 611

